


附: 图片



此图片仅限于随 SGS 正本报告使用

Signed for and on behalf of  
SGS-CSTC Ltd.

  
Zhang Li, Amy  
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



## 测试报告

编号: GZ0607115046/CHEM

日期: 2006年8月1日 页码 2 of 2

测试结果:

(1)

| 项目             | 单位  | MDL | 白色管状物 | 限值        |
|----------------|-----|-----|-------|-----------|
| 铅含量 (Pb)       | ppm | 2   | N.D.  | < 1000ppm |
| 镉含量 (Cd)       | ppm | 2   | N.D.  | < 100ppm  |
| 汞含量 (Hg)       | ppm | 2   | N.D.  | < 1000ppm |
| 六价铬含量 [Cr(VI)] | ppm | 2   | N.D.  | < 1000ppm |

说明: -N.D.= 未检出 (< MDL)

- MDL = 方法检测限

- ppm = 毫克/千克

(2)

| 项目                             | 单位  | MDL | 白色管状物 | 限值        |
|--------------------------------|-----|-----|-------|-----------|
| 阻燃剂                            |     |     |       |           |
| 多溴联苯 (PBBs)                    |     |     |       | < 1000ppm |
| 单溴联苯                           | ppm | 5   | N.D.  |           |
| 二溴联苯                           | ppm | 5   | N.D.  |           |
| 三溴联苯                           | ppm | 5   | N.D.  |           |
| 四溴联苯                           | ppm | 5   | N.D.  |           |
| 五溴联苯                           | ppm | 5   | N.D.  |           |
| 六溴联苯                           | ppm | 5   | N.D.  |           |
| 七溴联苯                           | ppm | 5   | N.D.  |           |
| 八溴联苯                           | ppm | 5   | N.D.  |           |
| 九溴联苯                           | ppm | 5   | N.D.  |           |
| 十溴联苯                           | ppm | 5   | N.D.  |           |
| 多溴联苯醚 (PBDEs)<br>(单溴联苯醚—九溴联苯醚) |     |     |       | < 1000ppm |
| 单溴联苯醚                          | ppm | 5   | N.D.  |           |
| 二溴联苯醚                          | ppm | 5   | N.D.  |           |
| 三溴联苯醚                          | ppm | 5   | N.D.  |           |
| 四溴联苯醚                          | ppm | 5   | N.D.  |           |
| 五溴联苯醚                          | ppm | 5   | N.D.  |           |
| 六溴联苯醚                          | ppm | 5   | N.D.  |           |
| 七溴联苯醚                          | ppm | 5   | N.D.  |           |
| 八溴联苯醚                          | ppm | 5   | N.D.  |           |
| 九溴联苯醚                          | ppm | 5   | N.D.  |           |
| 十溴联苯醚 <sup>△</sup>             | ppm | 5   | N.D.  |           |

说明: -N.D.= 未检出 (< MDL)

- MDL = 方法检测限

- ppm = 毫克/千克

- <sup>△</sup>: 2002/95/EC 的补充文件 2005/717/EC 豁免了十溴联苯醚的使用限制。

- 本测试报告内容是参照报告编号为 GZ0607115045/CHEM 的中文译本, 中英文版本如有歧异, 概以英文版为准。

\*\*\* 报告完 \*\*\*

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



## 测试报告

编号: GZ0607115046/CHEM

日期: 2006年8月1日 页码 1 of 2

河北省肃宁县双发滤材有限责任公司  
中国河北省肃宁县师素镇前堤村

本报告是基于所提供的名称为“熔喷滤芯”的样品所做的测试  
客户参考信息: 熔喷滤芯规格: 10-1, 10-5, 10-50, 20-1, 20-5, 20-50, 30-1, 10-10, 20-10, 30-5, 30-50, 30-10

SGS 参考编号 : GZ10028224EC-4.4  
收板日期 : 2006年7月26日  
信息确认日期 : 2006年7月31日  
测试日期 : 2006年7月26日至2006年8月1日


测试要求 : (1)委托测试样品中的铅, 镉, 汞和六价铬含量。  
(2)委托测试样品中的多溴联苯, 多溴联苯醚的含量。

测试方法 : (1)铅含量 - 参照 EPA 3050B:1996及其它酸消解。  
镉含量 - 参照 BS EN1122:2001 方法 B及其它酸消解。  
汞含量 - 参照 EPA 3052:1996及其它酸消解。  
六价铬含量 - 参照 EPA 3060A:1996&EPA 7196A:1992。  
分析仪器为火焰原子吸收光谱仪(AAS)&电感耦合等离子体发射光谱仪(ICP-AES)&紫外分光光度计(UV-Vis)。  
(2)参照 EPA 3540C&EPA 3550C。分析仪器为 GC-MS。

测试结果 : 请参见下一页

结论 : 根据要求进行测试, 报告中显示的测试结果未超过 2002/95/EC(RoHS)的补充文件 2005/618/EC 规定的限值。

Signed for and on behalf of  
SGS-CSTC Ltd.

  
Wang HongLei, Leo  
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.